Version number 3.0 (replaces version 2.2)

Printing date 05.06.2023



SECTION 1: Identification of the substance/mixture and of the company/ undertaking

- · 1.1 Product identifier
- · Trade name: COOL-CORE READY
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- Application of the substance / the mixture
 Only for proper handling.
 Coolant
- 1.3 Details of the supplier of the safety data sheet • Manufacturer/Supplier:

MOTOREX AG Bern-Zürich-Strasse 31, Postfach CH-4901 Langenthal Tel. +41 (0)62 919 75 75 www.motorex.com

· Further information obtainable from: msds@motorex.com

· 1.4 Emergency telephone number:

In case of a medical emergency following exposure to a chemical, the public should call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- Signal word Void
- · Hazard statements Void
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous components: Void
- Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:
- Remove residues with soap and water.

Remove contaminated clothing immediately.

(Contd. on page 2)

GB

Printing date 05.06.2023

Version number 3.0 (replaces version 2.2)



(Contd. of page 1)

Trade name: COOL-CORE READY

- · After eye contact:
- Rinse opened eye for several minutes under running water. Consult a physician if irritation develops. • After swallowing:
- Do not induce vomitting. Do not take in resorption stimulating agents.
- Consult a physician who will decide on need and method of emptying the stomach.
- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- **6.2 Environmental precautions:** Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). • 6.4 Reference to other sections
- No dangerous substances are released.
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.

 \cdot 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- The recommended storage temperature is (deg.C): ≤50°C
- · Storage class: 10
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 3)

GB –

Page 3/9

Safety data sheet according to 1907/2006/EC, Article 31

Version number 3.0 (replaces version 2.2)



Trade name: COOL-CORE READY

Printing date 05.06.2023

· Additional information: The lists valid durin	(Contd. of page
	g the making were used as basis.
· 8.2 Exposure controls	an data, and another 7
Appropriate engineering controls No further	
Individual protection measures, such as p	
General protective and hygienic measures Keep away from foodstuffs, beverages and fe	
Wash hands before breaks and at the end of	
Do not inhale gases / fumes / aerosols.	
· Respiratory protection:	
Not necessary if room is well-ventilated.	
	or mist: use mask with filter type A2, A2/P2 or ABEK.
· Hand protection	
	le and resistant to the product/ the substance/ the
preparation.	·
Selection of the glove material on considera	tion of the penetration times, rates of diffusion and t
degradation	
Material of gloves	
	t only depend on the material, but also on further mar
	nanufacturer. As the product is a preparation of seve
	rial can not be calculated in advance and has therefo
to be checked prior to the application.	
· Penetration time of glove material	
	nd out by the manufacturer of the protective gloves a
has to be observed.	l during rofilling
Eye/face protection Goggles recommended Body protection: Protective work clothing	auring remining
SECTION 9: Physical and chemical	l properties
-	
SECTION 9: Physical and chemical • 9.1 Information on basic physical and che • General Information	
 9.1 Information on basic physical and che General Information 	
· 9.1 Information on basic physical and che	emical properties
 9.1 Information on basic physical and che General Information Physical state 	emical properties
 9.1 Information on basic physical and che General Information Physical state Colour: 	mical properties Fluid Light blue
 9.1 Information on basic physical and che General Information Physical state Colour: Odour: Odour threshold: 	mical properties Fluid Light blue Odourless
 9.1 Information on basic physical and che General Information Physical state Colour: Odour: 	mical properties Fluid Light blue Odourless Not determined.
 9.1 Information on basic physical and che General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range 	Fluid Fluid Light blue Odourless Not determined. Undetermined. 100 °C (DIN EN ISO 3405)
 9.1 Information on basic physical and che General Information Physical state Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability 	mical properties Fluid Light blue Odourless Not determined. Undetermined.
 9.1 Information on basic physical and che General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range 	Fluid Light blue Odourless Not determined. Undetermined. 100 °C (DIN EN ISO 3405) Not applicable.
 9.1 Information on basic physical and che General Information Physical state Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: 	Fluid Light blue Odourless Not determined. Undetermined. 100 °C (DIN EN ISO 3405) Not applicable. Not determined.
 9.1 Information on basic physical and che General Information Physical state Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: 	Fluid Light blue Odourless Not determined. Undetermined. 100 °C (DIN EN ISO 3405) Not applicable. Not determined. Not determined.
 9.1 Information on basic physical and che General Information Physical state Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: 	Fluid Light blue Odourless Not determined. Undetermined. 100 °C (DIN EN ISO 3405) Not applicable. Not determined. Not determined. >100 °C
 9.1 Information on basic physical and che General Information Physical state Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: 	Fluid Light blue Odourless Not determined. Undetermined. 100 °C (DIN EN ISO 3405) Not applicable. Not determined. Not determined. >100 °C Not determined.
 9.1 Information on basic physical and che General Information Physical state Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH at 20 °C 	Fluid Light blue Odourless Not determined. Undetermined. 100 °C (DIN EN ISO 3405) Not applicable. Not determined. Not determined. >100 °C
 9.1 Information on basic physical and che General Information Physical state Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH at 20 °C Viscosity: 	Fluid Light blue Odourless Not determined. Undetermined. 100 °C (DIN EN ISO 3405) Not applicable. Not determined. >100 °C Not determined. >100 °C Not determined. 3 (DIN 51369)
 9.1 Information on basic physical and che General Information Physical state Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH at 20 °C Viscosity: Kinematic viscosity 	Fluid Light blue Odourless Not determined. Undetermined. 100 °C (DIN EN ISO 3405) Not applicable. Not determined. Not determined. >100 °C Not determined.
 9.1 Information on basic physical and che General Information Physical state Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH at 20 °C Viscosity: Kinematic viscosity Consistency 	Fluid Light blue Odourless Not determined. Undetermined. 100 °C (DIN EN ISO 3405) Not applicable. Not determined. >100 °C Not determined. >100 °C Not determined. 8 (DIN 51369) Not determined.
 9.1 Information on basic physical and che General Information Physical state Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH at 20 °C Viscosity: Kinematic viscosity Consistency Dynamic: 	Fluid Light blue Odourless Not determined. Undetermined. 100 °C (DIN EN ISO 3405) Not applicable. Not determined. >100 °C Not determined. >100 °C Not determined. 3 (DIN 51369)
 9.1 Information on basic physical and che General Information Physical state Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH at 20 °C Viscosity: Kinematic viscosity Consistency Dynamic: Solubility 	Fluid Light blue Odourless Not determined. Undetermined. 100 °C (DIN EN ISO 3405) Not applicable. Not determined. >100 °C Not determined. >100 °C Not determined. 8 (DIN 51369) Not determined. Not determined.
 9.1 Information on basic physical and che General Information Physical state Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH at 20 °C Viscosity: Kinematic viscosity Consistency Dynamic: Solubility water: 	Fluid Light blue Odourless Not determined. Undetermined. 100 °C (DIN EN ISO 3405) Not applicable. Not determined. >100 °C Not determined. >100 °C Not determined. 8 (DIN 51369) Not determined.
 9.1 Information on basic physical and che General Information Physical state Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH at 20 °C Viscosity: Kinematic viscosity Consistency Dynamic: Solubility water: Partition coefficient n-octanol/water (log 	Fluid Light blue Odourless Not determined. Undetermined. 100 °C (DIN EN ISO 3405) Not applicable. Not determined. >100 °C Not determined. >100 °C Not determined. 8 (DIN 51369) Not determined. Kot determined. Eully miscible.
 9.1 Information on basic physical and che General Information Physical state Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH at 20 °C Viscosity: Kinematic viscosity Consistency Dynamic: Solubility water: Partition coefficient n-octanol/water (log value) 	Fluid Light blue Odourless Not determined. Undetermined. 100 °C (DIN EN ISO 3405) Not applicable. Not determined. >100 °C Not determined. >100 °C Not determined. 8 (DIN 51369) Not determined. Not determined.
 9.1 Information on basic physical and che General Information Physical state Colour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH at 20 °C Viscosity: Kinematic viscosity Consistency Dynamic: Solubility water: Partition coefficient n-octanol/water (log 	Fluid Light blue Odourless Not determined. Undetermined. 100 °C (DIN EN ISO 3405) Not applicable. Not determined. >100 °C Not determined. >100 °C Not determined. 8 (DIN 51369) Not determined. Kot determined. Eully miscible.

Printing date 05.06.2023

Version number 3.0 (replaces version 2.2)



Trade name: COOL-CORE READY

	(Contd. of page
Density and/or relative density	
Density at 20 °C:	1.034 g/cm³ (ASTM D 4052)
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of hea	alth
and environment, and on safety.	
Explosive properties:	Product does not present an explosion hazard.
Solvent separation test:	
VOC (EC)	0.00 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical haza classes	
- Explosives	Void
Flammable gases	Void
Aerosols	Void
• Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
• Oxidising liquids	Void
Oxidising solids	Void
· Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

Oral LD50 >2,000 mg/kg (rat)

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

(Contd. on page 5)

GB

Printing date 05.06.2023

Version number 3.0 (replaces version 2.2)



Trade name: COOL-CORE READY

(Contd. of page 4)

- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met. • **STOT-single exposure** Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Return product and/or partially emptied container in original packaging to the point of sale or hand it over to a collection point for special waste.

· Uncleaned packaging:

- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· 14.1 UN number or ID number

· ADR/RID/ADN, ADN, IMDG, IATA

· 14.2 UN proper shipping name
 · ADR/RID/ADN, ADN, IMDG, IATA

Not classified as hazardous for transport

Not classified as hazardous for transport

(Contd. on page 6)

GB -

Printing date 05.06.2023

Version number 3.0 (replaces version 2.2)



Trade name: COOL-CORE READY

	(Contd. of page 5
· 14.3 Transport hazard class(es)	
· ADR/RID/ADN, ADN, IMDG, IATA · Class	Not classified as hazardous for transport
· 14.4 Packing group · ADR/RID/ADN, IMDG, IATA	Not classified as hazardous for transport
 14.5 Environmental hazards: Marine pollutant: 	No
· 14.6 Special precautions for user	Not applicable.
 14.7 Maritime transport in bulk according IMO instruments 	ing to Not applicable.
· UN "Model Regulation":	Not classified as hazardous for transport

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008.

No special training instructions to ensure protection of human health and environment are required.

· Department issuing SDS: Abteilung Produktsicherheit

Abbreviations and acronyms:
 ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 VOC: Volatile Organic Compounds (USA, EU)
 LC50: Lethal concentration, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 * Data compared to the previous version altered.

Annex: Exposure scenario 1

- Short title of the exposure scenario Industrial use of coolants
- · Sector of Use
- SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites **Product category**
- PC4 Anti-Freeze and de-icing products
- PC16 Heat transfer fluids

(Contd. on page 7)

GB



Printing date 05.06.2023 Version number 3.0 (replaces version 2.2)

Trade name: COOL-CORE READY

	(Contd. of page 6)
Process category PROC1 Chemical production or refinery in closed process without like	elihood of exposure or
processes with equivalent containment conditions. PROC2 Chemical production or refinery in closed continuous process wit	h occasional controlled
exposure or processes with equivalent containment conditions PROC8a Transfer of substance or mixture (charging and discharging) at no	n-dedicated facilities
PROC8b Transfer of substance or mixture (charging and discharging) at de PROC20 Use of functional fluids in small devices	
• Environmental release category ERC7 Use of functional fluid at industrial	site
 Description of the activities / processes covered in the Exposure Scena See section 1 of the annex to the Safety Data Sheet. 	nrio
Conditions of use	
 Duration and frequency 5 workdays/week. Physical parameters 	
Physical state Fluid	
 Concentration of the substance in the mixture The substance is main cor Other operational conditions 	nponent.
Other operational conditions affecting environmental exposure No spec	ial measures required.
Other operational conditions affecting consumer exposure Not required.	
Other operational conditions affecting consumer exposure during the unit Not applicable.	ise of the product
Risk management measures	
· Worker protection	
 Organisational protective measures No special measures required. Technical protective measures No special measures required. 	
Personal protective measures No special measures required.	
 Measures for consumer protection No special measures required. Environmental protection measures 	
· Air No special measures required.	
Water No special measures required.	
 Disposal measures Ensure that waste is collected and contained. Disposal procedures Dispose of product residues with household waste. 	
Waste type Partially emptied and uncleaned packaging	
 Exposure estimation Consumer Not relevant for this Exposure Scenario. 	
• Guidance for downstream users No further relevant information available.	
Annex: Exposure scenario 2	
Short title of the exposure scenario Professional use of coolants	
 Sector of Use SU22 Professional uses: Public domain (administration, education, en 	ntertainment services
craftsmen)	
Product category PC4 Anti Franzo and do joing producto	
PC4 Anti-Freeze and de-icing products PC16 Heat transfer fluids	
· Process category	
PROC1 Chemical production or refinery in closed process without like processes with equivalent containment conditions.	ellnood of exposure or
PROC2 Chemical production or refinery in closed continuous process wit	h occasional controlled
exposure or processes with equivalent containment conditions PROC8a Transfer of substance or mixture (charging and discharging) at no	n-dodicated facilities
PROC8a Transfer of substance or mixture (charging and discharging) at no PROC8b Transfer of substance or mixture (charging and discharging) at de	
PROC20 Use of functional fluids in small devices	
 Environmental release category ERC9a Widespread use of functional fluid (indoor) 	
ERC9b Widespread use of functional fluid (indoor)	
·	(Contd. on page 8)
	30

Version number 3.0 (replaces version 2.2)

Oil of Switzerland Revision: 05.06.2023

Printing date 05.06.2023

Trade name: COOL-CORE READY

Description of the activities / processes covered in the Exposure Scenario	(Contd. of page
See section 1 of the annex to the Safety Data Sheet.	
Conditions of use	
Duration and frequency 5 workdays/week.	
Physical parameters	
Physical state Fluid	
Concentration of the substance in the mixture The substance is main compo	nent.
Other operational conditions	
Other operational conditions affecting environmental exposure No special	measures requir
Other operational conditions affecting consumer exposure Not required.	
Other operational conditions affecting consumer exposure during the use	of the product
Not applicable.	-
Risk management measures	
Worker protection	
Organisational protective measures No special measures required.	
Technical protective measures No special measures required.	
Personal protective measures No special measures required.	
Measures for consumer protection No special measures required.	
Environmental protection measures	
Air No special measures required.	
Water No special measures required.	
Disposal measures Ensure that waste is collected and contained.	
Disposal procedures Dispose of product residues with household waste.	
Waste type Partially emptied and uncleaned packaging Exposure estimation	
Consumer Not relevant for this Exposure Scenario.	
Guidance for downstream users No further relevant information available.	
Annex: Exposure scenario 3	
Annex: Exposure scenario 3	
Short title of the exposure scenario Private use of coolants	
Short title of the exposure scenario Private use of coolants Sector of Use SU21 Consumer uses: Private households / general public / cor	nsumers
Short title of the exposure scenario Private use of coolants Sector of Use SU21 Consumer uses: Private households / general public / cor Product category	nsumers
Short title of the exposure scenario Private use of coolants Sector of Use SU21 Consumer uses: Private households / general public / cor Product category PC4 Anti-Freeze and de-icing products	nsumers
Short title of the exposure scenario Private use of coolants Sector of Use SU21 Consumer uses: Private households / general public / cor Product category PC4 Anti-Freeze and de-icing products PC16 Heat transfer fluids	nsumers
Short title of the exposure scenario Private use of coolants Sector of Use SU21 Consumer uses: Private households / general public / cor Product category PC4 Anti-Freeze and de-icing products PC16 Heat transfer fluids Process category	
Short title of the exposure scenario Private use of coolants Sector of Use SU21 Consumer uses: Private households / general public / cor Product category PC4 Anti-Freeze and de-icing products PC16 Heat transfer fluids Process category PROC1 Chemical production or refinery in closed process without likeliho	
Short title of the exposure scenario Private use of coolants Sector of Use SU21 Consumer uses: Private households / general public / cor Product category PC4 Anti-Freeze and de-icing products PC16 Heat transfer fluids Process category PROC1 Chemical production or refinery in closed process without likeling processes with equivalent containment conditions.	ood of exposur
Short title of the exposure scenario Private use of coolants Sector of Use SU21 Consumer uses: Private households / general public / cor Product category PC4 Anti-Freeze and de-icing products PC16 Heat transfer fluids Process category PROC1 Chemical production or refinery in closed process without likeling processes with equivalent containment conditions. PROC2 Chemical production or refinery in closed continuous process with out	ood of exposur
Short title of the exposure scenario Private use of coolants Sector of Use SU21 Consumer uses: Private households / general public / cor Product category PC4 Anti-Freeze and de-icing products PC16 Heat transfer fluids Process category PROC1 Chemical production or refinery in closed process without likeling processes with equivalent containment conditions. PROC2 Chemical production or refinery in closed continuous process with out exposure or processes with equivalent containment conditions	ood of exposur ccasional contro
Short title of the exposure scenario Private use of coolants Sector of Use SU21 Consumer uses: Private households / general public / cor Product category PC4 Anti-Freeze and de-icing products PC16 Heat transfer fluids Process category PROC1 Chemical production or refinery in closed process without likeliho processes with equivalent containment conditions. PROC2 Chemical production or refinery in closed continuous process with out exposure or processes with equivalent containment conditions PROC8 Transfer of substance or mixture (charging and discharging) at non-de	ood of exposur ccasional contro edicated facilitie
Short title of the exposure scenario Private use of coolants Sector of Use SU21 Consumer uses: Private households / general public / cor Product category PC4 Anti-Freeze and de-icing products PC16 Heat transfer fluids Process category PROC1 Chemical production or refinery in closed process without likeliho processes with equivalent containment conditions. PROC2 Chemical production or refinery in closed continuous process with out exposure or processes with equivalent containment conditions PROC8 Transfer of substance or mixture (charging and discharging) at non-de PROC8b Transfer of substance or mixture (charging and discharging) at dedications	ood of exposur ccasional contro edicated facilitie
Short title of the exposure scenario Private use of coolants Sector of Use SU21 Consumer uses: Private households / general public / cor Product category PC4 Anti-Freeze and de-icing products PC16 Heat transfer fluids Process category PROC1 Chemical production or refinery in closed process without likeliho processes with equivalent containment conditions. PROC2 Chemical production or refinery in closed continuous process with out exposure or processes with equivalent containment conditions PROC8a Transfer of substance or mixture (charging and discharging) at non-de PROC8b Transfer of substance or mixture (charging and discharging) at dedicat PROC20 Use of functional fluids in small devices	ood of exposur ccasional contro edicated facilitie
Short title of the exposure scenario Private use of coolants Sector of Use SU21 Consumer uses: Private households / general public / cor Product category PC4 Anti-Freeze and de-icing products PC16 Heat transfer fluids Process category PROC1 Chemical production or refinery in closed process without likeliho processes with equivalent containment conditions. PROC2 Chemical production or refinery in closed continuous process with out exposure or processes with equivalent containment conditions PROC8a Transfer of substance or mixture (charging and discharging) at non-de PROC8b Transfer of substance or mixture (charging and discharging) at dedicate PROC20 Use of functional fluids in small devices Environmental release category	ood of exposur ccasional contro edicated facilitie
Short title of the exposure scenario Private use of coolants Sector of Use SU21 Consumer uses: Private households / general public / cor Product category PC4 Anti-Freeze and de-icing products PC16 Heat transfer fluids Process category PROC1 Chemical production or refinery in closed process without likeliho processes with equivalent containment conditions. PROC2 Chemical production or refinery in closed continuous process with out exposure or processes with equivalent containment conditions PROC8a Transfer of substance or mixture (charging and discharging) at non-du PROC8b Transfer of substance or mixture (charging and discharging) at dedicate PROC20 Use of functional fluids in small devices Environmental release category ERC9a Widespread use of functional fluid (indoor)	ood of exposur ccasional contro edicated facilitie
Short title of the exposure scenario Private use of coolants Sector of Use SU21 Consumer uses: Private households / general public / cor Product category PC4 Anti-Freeze and de-icing products PC16 Heat transfer fluids Process category PROC1 Chemical production or refinery in closed process without likeliho processes with equivalent containment conditions. PROC2 Chemical production or refinery in closed continuous process with out exposure or processes with equivalent containment conditions PROC8a Transfer of substance or mixture (charging and discharging) at non-de PROC8b Transfer of substance or mixture (charging and discharging) at dedicate PROC20 Use of functional fluids in small devices Environmental release category ERC9a Widespread use of functional fluid (indoor) ERC9b Widespread use of functional fluid (outdoor)	ood of exposur ccasional contro edicated facilitie
Short title of the exposure scenario Private use of coolants Sector of Use SU21 Consumer uses: Private households / general public / cor Product category PC4 Anti-Freeze and de-icing products PC16 Heat transfer fluids Process category PROC1 Chemical production or refinery in closed process without likeliho processes with equivalent containment conditions. PROC2 Chemical production or refinery in closed continuous process with out exposure or processes with equivalent containment conditions PROC8a Transfer of substance or mixture (charging and discharging) at non-du PROC8b Transfer of substance or mixture (charging and discharging) at dedicate PROC20 Use of functional fluids in small devices Environmental release category ERC9a Widespread use of functional fluid (indoor)	ood of exposur ccasional contro edicated facilitie
Short title of the exposure scenario Private use of coolants Sector of Use SU21 Consumer uses: Private households / general public / cor Product category PC4 Anti-Freeze and de-icing products PC16 Heat transfer fluids Process category PROC1 Chemical production or refinery in closed process without likeling processes with equivalent containment conditions. PROC2 Chemical production or refinery in closed continuous process with out exposure or processes with equivalent containment conditions PROC8a Transfer of substance or mixture (charging and discharging) at non-de PROC20 Use of functional fluids in small devices Environmental release category ERC9a Widespread use of functional fluid (indoor) ERC9b Widespread use of functional fluid (outdoor) Description of the activities / processes covered in the Exposure Scenario	ood of exposur ccasional contro edicated facilitie
Short title of the exposure scenario Private use of coolants Sector of Use SU21 Consumer uses: Private households / general public / cor Product category PC4 Anti-Freeze and de-icing products PC16 Heat transfer fluids Process category PROC1 Chemical production or refinery in closed process without likeliho processes with equivalent containment conditions. PROC2 Chemical production or refinery in closed continuous process with ou exposure or processes with equivalent containment conditions PROC8a Transfer of substance or mixture (charging and discharging) at non-de PROC20 Use of functional fluids in small devices Environmental release category ERC9a Widespread use of functional fluid (indoor) ERC9b Widespread use of functional fluid (outdoor) Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet.	ood of exposur ccasional contro edicated facilitie
Short title of the exposure scenario Private use of coolants Sector of Use SU21 Consumer uses: Private households / general public / cor Product category PC4 Anti-Freeze and de-icing products PC16 Heat transfer fluids Process category PROC1 Chemical production or refinery in closed process without likeliho processes with equivalent containment conditions. PROC2 Chemical production or refinery in closed continuous process with out exposure or processes with equivalent containment conditions PROC8a Transfer of substance or mixture (charging and discharging) at non-de PROC8b Transfer of substance or mixture (charging and discharging) at dedicate PROC20 Use of functional fluids in small devices Environmental release category ERC9a Widespread use of functional fluid (indoor) ERC9b Widespread use of functional fluid (outdoor) Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet. Conditions of use	ood of exposur ccasional contro edicated facilitie
Short title of the exposure scenario Private use of coolants Sector of Use SU21 Consumer uses: Private households / general public / cor Product category PC4 Anti-Freeze and de-icing products PC16 Heat transfer fluids Process category PROC1 Chemical production or refinery in closed process without likeling processes with equivalent containment conditions. PROC2 Chemical production or refinery in closed continuous process with ou exposure or processes with equivalent containment conditions PROC8a Transfer of substance or mixture (charging and discharging) at non-de PROC8b Transfer of substance or mixture (charging and discharging) at dedica PROC20 Use of functional fluids in small devices Environmental release category ERC9a Widespread use of functional fluid (indoor) ERC9b Widespread use of functional fluid (outdoor) Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet. Conditions of use Duration and frequency 5 workdays/week. Physical parameters Physical state Fluid	ood of exposur ccasional contro edicated facilitie ated facilities
Short title of the exposure scenario Private use of coolants Sector of Use SU21 Consumer uses: Private households / general public / cor Product category PC4 Anti-Freeze and de-icing products PC16 Heat transfer fluids Process category PROC1 Chemical production or refinery in closed process without likeling processes with equivalent containment conditions. PROC2 Chemical production or refinery in closed continuous process with out exposure or processes with equivalent containment conditions PROC8a Transfer of substance or mixture (charging and discharging) at non-du PROC8b Transfer of substance or mixture (charging and discharging) at dedica PROC20 Use of functional fluids in small devices Environmental release category ERC9a Widespread use of functional fluid (indoor) ERC9b Widespread use of functional fluid (outdoor) Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet. Conditions of use Duration and frequency 5 workdays/week. Physical parameters	ood of exposur ccasional contro edicated facilitie ated facilities
Short title of the exposure scenario Private use of coolants Sector of Use SU21 Consumer uses: Private households / general public / cor Product category PC4 Anti-Freeze and de-icing products PC16 Heat transfer fluids Process category PROC1 Chemical production or refinery in closed process without likeliho processes with equivalent containment conditions. PROC2 Chemical production or refinery in closed continuous process with ou exposure or processes with equivalent containment conditions PROC8a Transfer of substance or mixture (charging and discharging) at non-du PROC8b Transfer of substance or mixture (charging and discharging) at dedica PROC20 Use of functional fluids in small devices Environmental release category ERC9a Widespread use of functional fluid (indoor) ERC9b Widespread use of functional fluid (outdoor) Description of the annex to the Safety Data Sheet. Conditions of use Duration and frequency 5 workdays/week. Physical parameters Physical state Fluid Concentration of the substance in the mixture The substance is main compo Other operational conditions	ood of exposure ccasional contro edicated facilities ated facilities
Short title of the exposure scenario Private use of coolants Sector of Use SU21 Consumer uses: Private households / general public / cor Product category PC4 Anti-Freeze and de-icing products PC16 Heat transfer fluids Process category PROC1 Chemical production or refinery in closed process without likeliho processes with equivalent containment conditions. PROC2 Chemical production or refinery in closed continuous process with out exposure or processes with equivalent containment conditions PROC8a Transfer of substance or mixture (charging and discharging) at non-du PROC8b Transfer of substance or mixture (charging and discharging) at dedica PROC20 Use of functional fluids in small devices Environmental release category ERC9a Widespread use of functional fluid (indoor) ERC9b Widespread use of functional fluid (outdoor) Description of the annex to the Safety Data Sheet. Conditions of use Duration and frequency 5 workdays/week. Physical parameters Physical state Fluid Concentration of the substance in the mixture The substance is main compo Other operational conditions affecting environmental exposure No special of Other operational conditions of Use	ood of exposure ccasional contro edicated facilities ated facilities
Short title of the exposure scenario Private use of coolants Sector of Use SU21 Consumer uses: Private households / general public / cor Product category PC4 Anti-Freeze and de-icing products PC16 Heat transfer fluids Process category PROC1 Chemical production or refinery in closed process without likeliho processes with equivalent containment conditions. PROC2 Chemical production or refinery in closed continuous process with ou exposure or processes with equivalent containment conditions PROC8a Transfer of substance or mixture (charging and discharging) at non-du PROC8b Transfer of substance or mixture (charging and discharging) at dedica PROC20 Use of functional fluids in small devices Environmental release category ERC9a Widespread use of functional fluid (indoor) ERC9b Widespread use of functional fluid (outdoor) Description of the annex to the Safety Data Sheet. Conditions of use Duration and frequency 5 workdays/week. Physical parameters Physical state Fluid Concentration of the substance in the mixture The substance is main compo Other operational conditions	ood of exposure ccasional contro edicated facilities ated facilities onent. measures requir
Short title of the exposure scenario Private use of coolants Sector of Use SU21 Consumer uses: Private households / general public / cor Product category PC4 Anti-Freeze and de-icing products PC16 Heat transfer fluids Process category PROC1 Chemical production or refinery in closed process without likeliho processes with equivalent containment conditions. PROC2 Chemical production or refinery in closed continuous process with out exposure or processes with equivalent containment conditions PROC8a Transfer of substance or mixture (charging and discharging) at non-du PROC8b Transfer of substance or mixture (charging and discharging) at dedica PROC20 Use of functional fluids in small devices Environmental release category ERC9a Widespread use of functional fluid (indoor) ERC9b Widespread use of functional fluid (outdoor) Description of the annex to the Safety Data Sheet. Conditions of use Duration and frequency 5 workdays/week. Physical parameters Physical state Fluid Concentration of the substance in the mixture The substance is main compo Other operational conditions affecting environmental exposure No special of Other operational conditions of Use	ood of exposure ccasional contro edicated facilities ated facilities



Printing date 05.06.2023

Version number 3.0 (replaces version 2.2)

Trade name: COOL-CORE READY

	(Contd. of page 8
· Other operational conditions affecting consumer exposure during the use of t	he product
Not applicable.	
· Risk management measures	
· Worker protection	
• Organisational protective measures No special measures required.	
• Technical protective measures No special measures required.	
Personal protective measures No special measures required.	
• Measures for consumer protection No special measures required.	
Environmental protection measures	
Air No special measures required.	
· Water No special measures required.	
Disposal measures Ensure that waste is collected and contained.	
· Disposal procedures Dispose of product residues with household waste.	
• Waste type Partially emptied and uncleaned packaging	
· Exposure estimation	
Consumer Not relevant for this Exposure Scenario.	
• Guidance for downstream users No further relevant information available.	