Revision: 31.01.2023

Printing date 31.01.2023

Version number 4.2 (replaces version 4.1)

SECTION 1: Identification of the substance/mixture and of the company undertaking

- · 1.1 Product identifier
- · Trade name: COOL-CORE READY PLUS
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Product category PC0 Other
- · Application of the substance / the mixture

Only for proper handling.

Engine coolant

- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

MOTOREX AG

Bern-Zürich-Strasse 31, Postfach

CH-4901 Langenthal

Tel. +41 (0)62 919 75 75

www.motorex.com

- · Further information obtainable from: msds@motorex.com
- · 1.4 Emergency telephone number:

In case of a medical emergency following exposure to a chemical, the public should call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4 H302 Harmful if swallowed.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms





GHS07

GHS08

- · Signal word Warning
- · Hazard-determining components of labelling:

Ethane-1,2-diol

· Hazard statements

H302 Harmful if swallowed.

H373 May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P330

P314 Get medical advice/attention if you feel unwell.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

(Contd. on page 2)

MOTOREX Oil of Switzerland
Revision: 31.01.2023

Printing date 31.01.2023

Version number 4.2 (replaces version 4.1)

Trade name: COOL-CORE READY PLUS

(Contd. of page 1)

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
CAS: 107-21-1 EINECS: 203-473-3 Reg.nr.: 01-2119456816-28	Ethane-1,2-diol STOT RE 2, H373; Acute Tox. 4, H302	50-70%
CAS: 19766-89-3 EINECS: 243-283-8 Reg.nr.: 01-2119979083-31	Sodium 2-ethylhexanoate Repr. 2, H361d	≥1-<3%
CAS: 29385-43-1 EINECS: 249-596-6 Reg.nr.: 01-2119979081-35	methyl-1H-benzotriazole Repr. 2, H361d; Aquatic Chronic 2, H411; Acute Tox. 4, H302	≥0.25-≤1%

[·] Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Remove residues with soap and water.

Remove contaminated clothing immediately.

· After eye contact:

Rinse opened eye for several minutes under running water.

Consult a physician if irritation develops.

- · After swallowing: Call for a doctor immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.

(Contd. on page 3)

MOTOREX*
Oil of Switzerland
Revision: 31.01.2023

Printing date 31.01.2023

Version number 4.2 (replaces version 4.1)

Trade name: COOL-CORE READY PLUS

(Contd. of page 2)

· 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep out of the reach of children.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: Do not store in zinced containers.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

The recommended storage temperature is (deg.C): ≤50°C

Store containers closed and protect against rain, dust, heat and other atmospheric influences.

- · Storage class: 12
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace: 107-21-1 Ethane-1,2-diol		
WEL Sho	rt-term value: 104** mg/m³, 40** ppm g-term value: 10* 52** mg/m³, 20** ppm particulate **vapour	
DNELs		
107-21-1	Ethane-1,2-diol	
Dermal	DNEL / Workers / Systemic effects / Long-term	106 mg/kg/24h (worker)
	DNEL/general population/Systemic effects/Long-term	53 mg/kg/24h (consumer)
Inhalative	DNEL / Workers / Local Effects / Long-term	35 mg/m3 (worker)
	DNEL/general population/Local effects/Long-term	7 mg/m3 (consumer)
19766-89-	3 Sodium 2-ethylhexanoate	
Oral	DNEL/general population/Systemic effects/Long-term	1 mg/kg/24h (consumer)
Dermal	DNEL / Workers / Systemic effects / Long-term	2 mg/kg/24h (worker)
	DNEL/general population/Systemic effects/Long-term	1 mg/kg/24h (consumer)
Inhalative	DNEL / Workers / Systemic effects / Long-term	14 mg/m3 (worker)
	DNEL/general population/Systemic effects/Long-term	3.5 mg/m3 (consumer)
29385-43-	1 methyl-1H-benzotriazole	
Oral	DNEL/general population/Systemic effects/Long-term	0.25 mg/kg/24h (consumer)

GB

MOTOREX Oil of Switzerland
Revision: 31.01.2023

Printing date 31.01.2023

Version number 4.2 (replaces version 4.1)

Trade name: COOL-CORE READY PLUS

			(Contd. of page 3)
	DNEL/general pop/Systemic effects/acute-sh		0.25 mg/kg/24h (consumer)
Dermal	DNEL / Workers / Systemic effects / Long-te	rm	0.5 mg/kg/24h (worker)
	DNEL/general population/Systemic effects/Lo	ong-term	0.25 mg/kg/24h (consumer)
Inhalative	DNEL / Workers / Systemic effects / Long-te	rm	8.8 mg/m3 (worker)
	DNEL/general population/Systemic effects/Lo	ong-term	4.4 mg/m3 (consumer)
· PNECs			
107-21-1	Ethane-1,2-diol		
PNEC / Ad	quatic organisms / Freshwater	10 mg/l ((aquatic organisms)
PNEC / Ad	quatic organisms / Marine water	1 mg/l (a	quatic organisms)
PNEC/Aqu	uatic org/intermittent releases(freshwater)	10 mg/l ((aquatic organisms)
PNEC/Aqu	uatic organisms/Sewage treatment plant/STP	199.5 m	g/l (aquatic organisms)
PNEC / Ad	quatic organisms / Sediment (freshwater)	37 mg/k	g (aquatic organisms)
PNEC / Ad	quatic organisms / Sediment (marine water)	3.7 mg/k	g (aquatic organisms)
PNEC / Te	errestrial organism / Soil	1.53 mg/	kg (terrestrial organisms)
19766-89-3 Sodium 2-ethylhexanoate			
PNEC / Ad	quatic organisms / Freshwater	0.36 mg/	/I (aquatic organisms)
PNEC / Aquatic organisms / Marine water		0.036 m	g/l (aquatic organisms)
PNEC/Aquatic org/intermittent releases(freshwater)		0.493 m	g/l (aquatic organisms)
PNEC/Aqu	uatic organisms/Sewage treatment plant/STP	71.7 mg/	/I (aquatic organisms)
PNEC / Ad	quatic organisms / Sediment (freshwater)	0.301 m	g/kg (aquatic organisms)
PNEC / Ad	quatic organisms / Sediment (marine water)	0.0301 n	ng/kg (aquatic organisms)
PNEC / Te	errestrial organism / Soil	0.0579 r	ng/kg (terrestrial organisms)
29385-43-	29385-43-1 methyl-1H-benzotriazole		
PNEC / Ad	quatic organisms / Freshwater	0.008 m	g/l (aquatic organisms)
PNEC / Ad	quatic organisms / Marine water	0.008 m	g/l (aquatic organisms)
PNEC/Aqu	uatic organisms/Sewage treatment plant/STP	39.4 mg/	/l (aquatic organisms)
PNEC / Ad	quatic organisms / Sediment (freshwater)	0.0025 n	ng/kg (aquatic organisms)
PNEC / Ad	quatic organisms / Sediment (marine water)	0.0025 n	ng/kg (aquatic organisms)

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Do not inhale gases / fumes / aerosols.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Not necessary if room is well-ventilated.

Respiratory protection if formation of aerosol or mist: use mask with filter type A2, A2/P2 or ABEK.

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 5)

MOTOREX*
Oil of Switzerland

Revision: 31.01.2023

Printing date 31.01.2023

Version number 4.2 (replaces version 4.1)

Trade name: COOL-CORE READY PLUS

(Contd. of page 4)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



· Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

General Information

Physical stateColour:FluidPink

Odour: Characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and

boiling range 100 °C (DIN EN ISO 3405)

· Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: Not applicable.
Ignition temperature: 410 °C (DIN 51794)
Decomposition temperature: Not determined.
pH Not determined.

Viscosity:

· Kinematic viscosity 2 mm²/s @ 40 °C

Consistency

• **Dynamic:** Not determined.

Solubility

• water: Fully miscible.

· Partition coefficient n-octanol/water (log

value) Not determined.

Heat Capacity

· Vapour pressure at 20 °C: 23 hPa

Density and/or relative density

• **Density at 20 °C:** 1.066 g/cm³ (ASTM D 4052)

Relative densityVapour densityNot determined.Not determined.

· 9.2 Other information

· Appearance:

Fluid

(Contd. on page 6)

MOTOREX*
Oil of Switzerland

Revision: 31.01.2023

Printing date 31.01.2023

Version number 4.2 (replaces version 4.1)

Trade name: COOL-CORE READY PLUS

(Contd. of page 5)

Important information on protection of health

and environment, and on safety.

• Explosive properties: Product does not present an explosion hazard.

· Solvent separation test:

· **VOC (EC)** 0.00 %

· Change in condition

• Evaporation rate Not determined.

· Information with regard to physical hazard classes

· Explosives Void Void · Flammable gases Void · Aerosols · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void · Self-heating substances and mixtures Void · Substances and mixtures, which emit Void flammable gases in contact with water Void · Oxidising liquids Void · Oxidising solids Void Organic peroxides Corrosive to metals Void · Desensitised explosives Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions

May react with strong acids or strong oxidizing agents such as chlorates, nitrates, peroxides, etc.

- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:

Aldehydes (Elevated temperatures), ketones (Elevated temperatures)

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Harmful if swallowed.

· LD/LC50 values relevant for classification:			
107-21-1	107-21-1 Ethane-1,2-diol		
Oral	LD50	7,712 mg/kg (rat)	
	NOEL	150 mg/kg/24h (rat)	
	NOAEL	200 mg/kg/24h (rat)	
	NOAEL	12,500 ppm (mouse)	
Dermal	LD50	3,500 mg/kg (mouse)	

(Contd. on page 7)

Revision: 31.01.2023

Printing date 31.01.2023

Version number 4.2 (replaces version 4.1)

Trade name: COOL-CORE READY PLUS

		(Contd. of page 6)
	NOAEL	2,200-4,400 mg/kg/24h (dog)
Inhalative	LC50 / 6h	2.5 mg/l (rat)
19766-89-3 Sodium 2-ethylhexanoate		2-ethylhexanoate
Oral	LD50	2,043 mg/kg (rat)
	NOAEL	300 mg/kg/24h (rat)
Dermal	LD50	2,000 mg/kg (rat)
Inhalative	LC0 / 8h	110 mg/m3 (rat)
29385-43-	1 methyl-1	H-benzotriazole
Oral	LD50	720 mg/kg (rat)
	NOAEL	150 mg/kg/24h (rat)
	LOAEL	6,700-11,700 mg/kg/24h (rat)
Dermal	LD50	2,000 mg/kg (rabbit)

- STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatio	c toxicity:		
107-21-	107-21-1 Ethane-1,2-diol		
LC50	7,286 mg/l/96h (fish)		
LC50	1,500 mg/l/28d (fish)		
EC50	3,536-13,000 mg/l/96h (algae / cyanobacteria)		
EC50	33,911 mg/l/21d (aquatic invertebrates)		
EC100	100 mg/l/48h (aquatic invertebrates)		
EC0	100 mg/l/48h (aquatic invertebrates)		
EC50	100 mg/l/48h (aquatic invertebrates)		
NOEC	7,500-15,000 mg/l/21d (aquatic invertebrates)		
NOEC	100 mg/l/72h (algae / cyanobacteria)		
NOEC	8,590-24,000 mg/l/7d (aquatic invertebrates)		
	15,380-32,000 mg/l/7d (fish)		
19766-8	89-3 Sodium 2-ethylhexanoate		
LC50	100 mg/l/96h (fish)		
EC10	32 mg/l/72h (algae / cyanobacteria)		
EC50	49.3 mg/l/72h (algae / cyanobacteria)		
EC50	75 mg/l/21d (aquatic invertebrates)		
EC100	125 mg/l/48h (aquatic invertebrates)		
EC0	62.5 mg/l/48h (aquatic invertebrates)		
EC50	85.4-910 mg/l/48h (aquatic invertebrates)		
NOEC	25 mg/l/21d (aquatic invertebrates)		
LOEC	LOEC 63 mg/kg/28d (aquatic invertebrates)		
29385-4	5-43-1 methyl-1H-benzotriazole		
	C 37.6 mg/l/21d (aquatic invertebrates)		
LC50	55-180 mg/l/96h (fish)		
	(Contd. on page 8)		

MOTOREX*
Oil of Switzerland

Revision: 31.01.2023

Printing date 31.01.2023

Version number 4.2 (replaces version 4.1)

Trade name: COOL-CORE READY PLUS

	(Contd. of page 7)	
LC0	100 mg/l/96h (fish)	
LC50	55 mg/l/48h (aquatic invertebrates)	
	240 mg/l/48h (fish)	
LC50	180 mg/l/72h (fish)	
LC50	240 mg/l/24h (fish)	
EC10	0.4-0.97 mg/l/21d (aquatic invertebrates)	
EC10	4.17-8.56 mg/l/48h (aquatic invertebrates)	
EC50	1,060 mg/l/24h (microorganisms)	
EC10	1.18-10.5 mg/l/72h (algae / cyanobacteria)	
EC50	29-75 mg/l/72h (algae / cyanobacteria)	
EC50	18.4-37.6 mg/l/21d (aquatic invertebrates)	
EC50	8.58-15.8 mg/l/48h (aquatic invertebrates)	
NOEC	18.4 mg/l/21d (aquatic invertebrates)	
NOEC	10-30 mg/l/72h (algae / cyanobacteria)	
NOEC	30 mg/l/48h (aquatic invertebrates)	

· 12.2 Persistence and degradability No further relevant information available.

Г	12.3 Bioaccumulative potential		
L	•		
	107-21-1 Ethane-1,2-diol		
Ī	Partition coefficient ≤1.36 [] (log Kow) (Bioaccumulation)		
	Biodegradability	>90 % (28d) (Biodegradability) (OECD 301 A)	
Ī	19766-89-3 Sodium 2-ethylhexanoate		
T	Partition coefficient	1.3 [] (log Kow) (Bioaccumulation)	
	Biodegradability >70 % (28d) (Biodegradability) (OECD 301 E)		

- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- General notes:

Water hazard class 1 (according to Appendix 1 AwSV): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Return product and/or partially emptied container in original packaging to the point of sale or hand it over to a collection point for special waste.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

(Contd. on page 9)



Printing date 31.01.2023

Version number 4.2 (replaces version 4.1)

Trade name: COOL-CORE READY PLUS

(Contd. of page 8)

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information	
· 14.1 UN number or ID number · ADR/RID/ADN, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR/RID/ADN, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR/RID/ADN, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR/RID/ADN, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according IMO instruments	ng to Not applicable.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. The classification of the mixture was carried out by calculation in accordance with the rules laid down in Annex I of Regulation (EC) No 1272/2008.

No special training instructions to ensure protection of human health and environment are required.

- · purity requirement
- · Relevant phrases

H302 Harmful if swallowed.

H361d Suspected of damaging the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

- · Department issuing SDS: Abteilung Produktsicherheit
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

(Contd. on page 10)

MOTOREX*
Oil of Switzerland
Revision: 31.01.2023

Printing date 31.01.2023

Version number 4.2 (replaces version 4.1)

Trade name: COOL-CORE READY PLUS

(Contd. of page 9)

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (ÚK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Repr. 2: Reproductive toxicity – Category 2

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

* Data compared to the previous version altered.

Annex: Exposure scenario 1

- · Short title of the exposure scenario Industrial use of coolants
- Sector of Use

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

Product category

PC4 Anti-Freeze and de-icing products

PC16 Heat transfer fluids

Process category

PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities

PROC20 Use of functional fluids in small devices

- · Environmental release category ERC7 Use of functional fluid at industrial site
- Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet.
- · Conditions of use
- · Duration and frequency 5 workdays/week.
- Physical parameters
- Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- Other operational conditions
- Other operational conditions affecting environmental exposure No special measures required.
- · Other operational conditions affecting consumer exposure Not required.
- · Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- · Risk management measures
- · Worker protection
- · Organisational protective measures No special measures required.
- · Technical protective measures No special measures required.
- · Personal protective measures No special measures required.
- Measures for consumer protection No special measures required.
- · Environmental protection measures
- · Air No special measures required.
- · Water No special measures required.
- · Disposal measures Ensure that waste is collected and contained.
- · Disposal procedures Dispose of product residues with household waste.
- · Waste type Partially emptied and uncleaned packaging
- Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.

(Contd. on page 11)

MOTOREX Oil of Switzerland
Revision: 31.01.2023

Printing date 31.01.2023

Version number 4.2 (replaces version 4.1)

Trade name: COOL-CORE READY PLUS

(Contd. of page 10)

· Guidance for downstream users No further relevant information available.

Annex: Exposure scenario 2

- · Short title of the exposure scenario Professional use of coolants
- Sector of Use

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

· Product category

PC4 Anti-Freeze and de-icing products

PC16 Heat transfer fluids

Process category

PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities

PROC20 Use of functional fluids in small devices

· Environmental release category

ERC9a Widespread use of functional fluid (indoor)

ERC9b Widespread use of functional fluid (outdoor)

· Description of the activities / processes covered in the Exposure Scenario

See section 1 of the annex to the Safety Data Sheet.

- · Conditions of use
- · Duration and frequency 5 workdays/week.
- · Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- · Other operational conditions
- Other operational conditions affecting environmental exposure No special measures required.
- · Other operational conditions affecting consumer exposure Not required.
- · Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- Risk management measures
- · Worker protection
- · Organisational protective measures No special measures required.
- · Technical protective measures No special measures required.
- · Personal protective measures No special measures required.
- Measures for consumer protection No special measures required.
- · Environmental protection measures
- · Air No special measures required.
- · Water No special measures required.
- · Disposal measures Ensure that waste is collected and contained.
- · Disposal procedures Dispose of product residues with household waste.
- Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.

Annex: Exposure scenario 3

- · Short title of the exposure scenario Private use of coolants
- · Sector of Use SU21 Consumer uses: Private households / general public / consumers
- Product category

PC4 Anti-Freeze and de-icing products

(Contd. on page 12)

MOTOREX*
Oil of Switzerland

Revision: 31.01.2023

Printing date 31.01.2023

Version number 4.2 (replaces version 4.1)

Trade name: COOL-CORE READY PLUS

(Contd. of page 11)

PC16 Heat transfer fluids

Process category

PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities

PROC20 Use of functional fluids in small devices

· Environmental release category

ERC9a Widespread use of functional fluid (indoor)

ERC9b Widespread use of functional fluid (outdoor)

Description of the activities / processes covered in the Exposure Scenario

See section 1 of the annex to the Safety Data Sheet.

- · Conditions of use
- · Duration and frequency 5 workdays/week.
- Physical parameters
- Physical state Fluid
- Concentration of the substance in the mixture The substance is main component.
- · Other operational conditions
- Other operational conditions affecting environmental exposure No special measures required.
- · Other operational conditions affecting consumer exposure Not required.
- · Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- · Risk management measures
- · Worker protection
- · Organisational protective measures No special measures required.
- · Technical protective measures No special measures required.
- Personal protective measures No special measures required.
- · Measures for consumer protection No special measures required.
- Environmental protection measures
- · Air No special measures required.
- · Water No special measures required.
- · Disposal measures Ensure that waste is collected and contained.
- · Disposal procedures Dispose of product residues with household waste.
- Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.

GB